

**Synonymy and chresonymy for
Boana palaestes (Duellman, De la Riva & Wild, 1997)**

- Hyla palaestes*—DUELLMAN et al. (1997). Original description. Adults, larvae, and vocalizations.
- Hyla palaestes*—FAIVOVICH et al. (2004). Comments on possible phylogenetic relationships.
- Hypsiboas palaestes*—FAIVOVICH et al. (2005). First combination with *Hypsiboas* WAGLER, 1830.
- Hypsiboas palaestes*—KOLENC et al. (2008). Reference to tadpole morphology.
- Hypsiboas palaestes*—KÖHLER et al. (2010). Inclusion in phylogenetic analysis, taxonomic comparison, morphological variation.
- Hypsiboas aguilari*—LEHR et al. (2010). Original description. Adults and vocalization. **New synonymy.**
- Hypsiboas palaestes*—LEHR et al. (2010). Inclusion in taxonomic comparison.
- Hypsiboas aguilari*—LEHR et al. (2011). Tadpole description.
- Hypsiboas palaestes*—LEHR et al. (2011). Reference to tadpole morphology.
- Hypsiboas aguilari*—CHÁVEZ et al. (2012). Morphology and habitat.
- Hypsiboas aguilari*—FAIVOVICH et al. (2013). Inclusion in phylogenetic analysis.
- Hypsiboas palaestes*—FAIVOVICH et al. (2013). Inclusion in phylogenetic analysis.
- Hypsiboas aguilari*—NALI et al. (2014). Egg pigmentation evolution.
- Hypsiboas aguilari*—BATISTA et al. (2015). Inclusion in bioacoustic comparisons.
- Hypsiboas palaestes*—BATISTA et al. (2015). Inclusion in bioacoustic comparisons.
- Hypsiboas aguilari*—BRUNETTI et al. (2015). Included in figure of phylogenetic analysis.
- Hypsiboas palaestes*—BRUNETTI et al. (2015). Included in figure of phylogenetic analysis.
- Hypsiboas aguilari*—DUELLMAN et al. (2016). Inclusion in phylogenetic analysis.
- Hypsiboas palaestes*—DUELLMAN et al. (2016). Inclusion in phylogenetic analysis.
- Hypsiboas aguilari*—PINHEIRO et al. (2016). Inclusion in taxonomic comparisons.
- Hypsiboas palaestes*—PINHEIRO et al. (2016). Inclusion in taxonomic comparisons.
- Boana aguilari*—DUBOIS (2017). First combination with *Boana* GRAY, 1825.
- Boana palaestes*—DUBOIS (2017). First combination with *Boana* GRAY, 1825.
- Boana palaestes*—GUERRA et al. (2017). Inclusion in bioacoustics comparisons.
- Hypsiboas aguilari*—JETZ & PYRON (2018). Inclusion in phylogenetic analysis.
- Hypsiboas palaestes*—JETZ & PYRON (2018). Inclusion in phylogenetic analysis.
- Boana aguilari*—PINHEIRO et al. (2019). Inclusion in phylogenetic analysis.
- Boana palaestes*—PINHEIRO et al. (2019). Inclusion in phylogenetic analysis.
- Boana aguilari*—CAMINER & RON (2020). Inclusion in phylogenetic analysis.
- Boana palaestes*—CAMINER & RON (2020). Inclusion in phylogenetic analysis.
- Boana aguilari*—LYRA et al. (2020). Inclusion in phylogenetic analysis.
- Boana palaestes*—LYRA et al. (2020). Inclusion in phylogenetic analysis.
- Boana aguilari*—STURARO et al. (2020). Inclusion in phylogenetic analysis.
- Boana palaestes*—STURARO et al. (2020). Inclusion in phylogenetic analysis.
- Boana aguilari*—DUBOIS et al. (2021). Inclusion in phylogenetic analysis.
- Boana palaestes*—DUBOIS et al. (2021). Inclusion in phylogenetic analysis.
- Boana aguilari*—VASCONCELLOS et al. (2021). Inclusion in phylogenetic analysis.
- Boana aguilari*—FAIVOVICH et al. (2021). Inclusion in phylogenetic analysis.
- Boana palaestes*—FAIVOVICH et al. (2021). Inclusion in phylogenetic analysis.
- Boana aguilari*—MARINHO et al. (2022). Inclusion in taxonomic comparisons.
- Boana palaestes*—MARINHO et al. (2022). Inclusion in taxonomic comparisons.
- Boana aguilari*—PINHEIRO et al. (2022). Dataset of prepollical morphology.
- Boana palaestes*—PINHEIRO et al. (2022). Dataset of prepollical morphology.
- Boana aguilari*—ESTUPINÁN et al. (2023). Inclusion in phylogenetic analysis.
- Boana aguilari*—LURÍA-MANZANO et al. (2023). Analysis of body size, morphology, habitat, and territorial parameters.
- Boana palaestes*—LURÍA-MANZANO et al. (2023). Analysis of body size, morphology, habitat, and territorial parameters.
- Boana aguilari*—PORTIK et al. (2023). Inclusion in phylogenetic analysis.
- Boana palaestes*—PORTIK et al. (2023). Inclusion in phylogenetic analysis.
- Boana aguilari*—LEHR & MORAVEC (2024). Inclusion in checklist.
- Boana aguilari*—NAKAMURA et al. (2024). Analysis of body size, habitat, and acoustic parameters.
- Boana palaestes*—NAKAMURA et al. (2024). Analysis of body size, habitat, and acoustic parameters.
- Boana aguilari*—PINHEIRO et al. (2024). Inclusion in taxonomic comparisons.
- Boana palaestes*—PINHEIRO et al. (2024). Inclusion in taxonomic comparisons.
- Boana aguilari*—ESCALONA et al. (2025). Analysis of body size, habitat, and acoustic parameters.
- Boana palaestes*—ESCALONA et al. (2025). Analysis of body size, habitat, and acoustic parameters.
- Boana aguilari*—NAKAMURA et al. (2025). Inclusion in phylogenetic analysis.
- Boana palaestes*—NAKAMURA et al. (2025). Inclusion in phylogenetic analysis.

References

- BATISTA, V. G., P. G. GAMBALE, R. LOURENÇO-DE-MORAES, R. M. CAMPOS & R. P. BASTOS (2015): Vocalizations of two species of the *Hypsiboas pulchellus* group (Anura: Hylidae) with comments on this species group. – *North-Western Journal of Zoology*, **11**: 253–261.
- BRUNETTI, A. E., G. N. HERMIDA, M. C. LUNA, A. M. G. BAR-SOTTI, C. JARED, M. M. ANTONIAZZI, M. RIVERA-CORREA, B. BERNECK & J. FAIVOVICH (2015): Diversity and evolution of sexually dimorphic mental and lateral glands in Cophomantini treefrogs (Amphibia: Anura: Hylidae). – *Biological Journal of the Linnean Society*, **114**: 12–34.
- CAMINER, M. A. & S. R. RON (2020): Systematics of the *Boana semilineata* species group (Anura: Hylidae), with a description of two new species from Amazonian Ecuador. – *Zoological Journal of the Linnean Society*, **190**: 149–180.
- CHÁVEZ G., C. H. COSMÓPOLIS & L. LUJÁN (2012): Annotated checklist and ecological notes of anurans from the southern region of Yanachaga Chemillen National Park, central Andes of Peru. – *Herpetotropicos*, **8**: 23–38.
- DUBOIS, A. (2017): The nomenclatural status of *Hysaplesia*, *Hylaplesia*, *Dendrobates* and related nomina (Amphibia, Anura), with general comments on zoological nomenclature and its governance, as well as on taxonomic databases and websites. – *Bionomina*, **11**: 1–48.
- DUBOIS, A., A. OHLER & R. A. PYRON (2021): New concepts and methods for phylogenetic taxonomy and nomenclature in zoology, exemplified by a new ranked cladonomy of recent amphibians (Lissamphibia). – *Megataxa*, **5**: 1–738.
- DUELLMAN, W. E., I. DE LA RIVA & E. R. WILD (1997): Frogs of the *Hyla armata* and *Hyla pulchella* groups in the Andes of South America, with definitions and analyses of phylogenetic relationships of Andean groups of *Hyla*. – *Scientific Papers, Natural History Museum, University of Kansas*, **3**: 1–41.
- DUELLMAN, W. E., A. B. MARION & S. B. HEDGES (2016): Phylogenetics, classification, and biogeography of the treefrogs (Amphibia: Anura: Arboranae). – *Zootaxa*, **4104**: 1–109.
- ESCALONA, M., P. I. SIMÕES, A. GONZALEZ-VOYER, A. M. MENDOZA-HENAO, A. D. MELLO BEZERRA, P. D. P. PINHEIRO, B. MORALES, J. M. GUAYASAMIN, T. CARVALHO, J. C. CHAPARRO, I. DE LA RIVA, F. J. M. ROJAS-RUNJAIC, M. RIVERA-CORREA, P. J. R. KOK, P. PELOSO, D. Y. M. NAKAMURA, R. MANEYRO & S. CASTROVIEJO-FISHER (2025): Allometric constraint predominates over the acoustic adaptation hypothesis in a radiation of Neotropical treefrogs. – *Integrative Zoology*, **20**: 763–773.
- ESTUPIÑÁN, R. A., S. T. DE FARIAS, E. C. GONÇALVES, M. CAMARGO & M. P. C. SCHNEIDER (2023): Performance of intron 7 of the β -fibrinogen gene for phylogenetic analysis: An example using gladiator frogs, *Boana* Gray, 1825 (Anura, Hylidae, Cophomantinae). – *ZooKeys*, **1149**: 145–169.
- FAIVOVICH, J., P. C. DE A. GARCIA, F. ANANIAS, L. LANARI, N. G. BASSO & W. C. WHEELER (2004): A molecular perspective on the phylogeny of the *Hyla pulchella* species group (Anura, Hylidae). – *Molecular Phylogenetics and Evolution*, **32**: 938–950.
- FAIVOVICH, J., R. W. MCDIARMID & C. W. MYERS (2013): Two new species of *Myersiophyla* (Anura: Hylidae) from Cerro de la Neblina, Venezuela, with comments on other species of the genus. – *American Museum Novitates*, **3792**: 1–63.
- FAIVOVICH, J., C. F. B. HADDAD, P. C. DE A. GARCIA, D. R. FROST, J. A. CAMPBELL & W. C. WHEELER (2005): Systematic review of the frog family Hylidae, with special reference to Hylinae: A phylogenetic analysis and taxonomic revision. – *Bulletin of the American Museum of Natural History*, **294**: 1–240.
- FAIVOVICH, J., P. D. P. PINHEIRO, M. L. LYRA, M. O. PEREYRA, D. BALDO, A. MUÑOZ-SARAVIA, S. REICHEL, R. A. BRANDÃO, A. A. GIARETTA, M. T. C. THOMÉ, J. C. CHAPARRO, D. BAÊTA, R. L. WIDHOLZER, J. L. BALDO, E. LEHR, W. C. WHEELER, P. C. A. GARCIA & C. F. B. HADDAD (2021): Phylogenetic relationships of the *Boana pulchella* Group (Anura: Hylidae). – *Molecular Phylogenetics and Evolution*, **155** (106981): 1–18.
- GUERRA, V., R. LINGNAU & R. P. BASTOS (2017): Vocalizations and bioacoustic analysis of *Boana jaguariaivensis* (Caramaschi, Cruz, and Segalla, 2010) (Anura: Hylidae). – *South American Journal of Herpetology*, **12**: 34–41.
- JETZ, W. & R. A. PYRON (2018): The interplay of past diversification and evolutionary isolation with present imperilment across the amphibian tree of life. – *Nature Ecology & Evolution*, **2**: 850–858.
- KÖHLER, J., D. KOSCINSKI, J. M. PADIAL, J. C. CHAPARRO, P. HANDFORD, S. C. LOUGHEED & I. DE LA RIVA (2010): Systematics of Andean gladiator frogs of the *Hypsiboas pulchellus* species group (Anura, Hylidae). – *Zoologica Scripta*, **39**: 572–590.
- KOLENC, F., C. BORTEIRO, L. ALCALDE, D. BALDO, D. CARDOZO & J. FAIVOVICH (2008): The tadpoles of eight species of *Hypsiboas* Wagler (Amphibia, Anura, Hylidae) from Argentina and Uruguay, with a review of the larvae of this genus. – *Zootaxa*, **1927**: 1–66.
- KOSCINSKI, D., P. HANDFORD, P. L. TUBARO, S. SHARP & S. C. LOUGHEED (2008): Pleistocene climatic cycling and diversification of the Andean treefrog, *Hypsiboas andinus*. – *Molecular Ecology*, **17**: 2012–2025.
- LEHR, E., J. FAIVOVICH & K.-H. JUNGFER (2010): A new Andean species of the *Hypsiboas pulchellus* group: adults, calls, and phylogenetic relationships. – *Herpetologica*, **66**: 296–307.
- LEHR, E., J. FAIVOVICH & K.-H. JUNGFER (2011): Description of the tadpoles of *Hypsiboas aguilar* and *H. melanopleura* (Anura: Hylidae: *Hypsiboas pulchellus* group). – *Salamandra*, **47**: 30–35.
- LEHR, E. & J. MORAVEC (2024): Amphibians and reptiles of the Pui Pui Protected Forest. – *Field Museum Fieldguides*, **1672**: 1–7.
- LURÍA-MANZANO, R., P. D. P. PINHEIRO, T. KOHLSDORE, C. F. B. HADDAD & M. MARTINS (2023): Evolution of territoriality in Hylinae treefrogs: Ecological and morphological correlates and lineage diversification. – *Journal of Evolutionary Biology*, **36**: 1090–1101.
- LYRA, M. L., A. C. C. LOURENÇO, P. D. P. PINHEIRO, T. L. PEZUTTI, D. BAÊTA, A. BARLOW, M. HOFREITER, J. P. POMBAL JR., C. F. B. HADDAD & J. FAIVOVICH (2020): High throughput DNA sequencing of museum specimens sheds light on the long missing species of the *Bokermannohyla claresignata* group (Anura: Hylidae: Cophomantini). – *Zoological Journal of the Linnean Society*, **190**: 1235–1255.
- MARINHO, P., D. L. BANG, I. VIDIGAL & A. A. GIARETTA (2022): A new cryptic species of *Boana* (Hylinae: Cophomantini) of the *B. polytaenia* clade from the Brazilian Atlantic Forest. – *Journal of Herpetology*, **56**: 278–293.

- NAKAMURA, D. Y. M., M. ESCALONA & P. D. P. PINHEIRO (2024): Body size, habitat, and sexual selection affect call evolution in Cophomantini treefrogs (Anura: Hylidae: Hylineae). – *Biological Journal of the Linnean Society*, **144**: blae036.
- NAKAMURA, D. Y. M., P. D. P. PINHEIRO, M. L. LYRA, J. FAIVOVICH & T. GRANT (2025): Historical DNA places an apparently extinct gladiator frog in the phylogeny of the *Boana pulchella* group (Anura: Hylidae). – *Herpetologica*, **81**: 117–133.
- NALI, R. C., J. FAIVOVICH & C. P. A. PRADO (2014): The occurrence of unpigmented mature oocytes in *Hypsiboas* (Anura: Hylidae). – *Salamandra*, **50**: 53–56.
- PINHEIRO, P. D. P., T. L. PEZZUTI, F. S. F. LEITE, P. C. A. GARCIA, C. F. B. HADDAD & J. FAIVOVICH (2016): A new species of the *Hypsiboas pulchellus* Group from the Serra da Mantiqueira, Southeastern Brazil (Amphibia: Anura: Hylidae). – *Herpetologica*, **72**: 256–270.
- PINHEIRO, P. D. P., P. J. R. KOK, B. P. NOONAN, D. B. MEANS, C. F. B. HADDAD & J. FAIVOVICH (2019): A new genus of Cophomantini, with comments on the taxonomic status of *Boana liliae* (Anura: Hylidae). – *Zoological Journal of the Linnean Society*, **185**: 226–245.
- PINHEIRO, P. D. P., B. L. B. BLOTTO, S. RON, E. L. STANLEY, P. C. A. GARCIA, C. F. B. HADDAD, T. GRANT & J. FAIVOVICH (2022): Prepollex diversity and evolution in Cophomantini (Anura: Hylidae: Hylineae). – *Zoological Journal of the Linnean Society*, **195**: 995–1021.
- PINHEIRO, P. D. P., F. DALLACORTE, J. THOMPSON, E. J. COMITTI, D. Y. M. NAKAMURA & P. C. A. GARCIA (2024): Two new species of the *Boana semiguttata* clade (Anura: Hylidae: Hylineae) from the Atlantic Forest of Southern Brazil. – *South American Journal of Herpetology*, **33**: 48–68.
- PORTIK, D. M., J. W. STREICHER & J. J. WIENS (2023): Frog phylogeny: A time-calibrated, species-level tree based on hundreds of loci and 5,242 species. – *Molecular Phylogenetics and Evolution*, **188**: 107907.
- STURARO, M. J., J. C. L. COSTA, A. O. MACIEL, G. R. LIMA-FILHO, F. J. M. ROJAS-RUNJAIC, D. P. MEJIA, S. R. RON & P. L. V. PELOSO (2020): Resolving the taxonomic puzzle of *Boana cinerascens* (Spix, 1824), with resurrection of *Hyla granosa gracilis* Melin, 1941 (Anura: Hylidae). – *Zootaxa*, **4750**: 1–30.
- VASCONCELLOS, M. M., G. R. COLLI & D. C. CANNATELLA (2021): Paleotemperatures and recurrent habitat shifts drive diversification of treefrogs across distinct biodiversity hotspots in sub-Amazonian South America. – *Journal of Biogeography*, **48**: 305–320.